


RECOMMENDED P.C.B. LAYOUT
INSPECTION DIMENSION(A)~(J)

SPECIFICATIONS

- SCSI
- Current Rating: 1 Ampere per Contact
- Contact Resistance: 35 Milliohms Max.
- Insulation Resistance: 1000 Megohms Min.
- Dielectric Withstanding Voltage: 500V DC(RMS)
- Total Mating Force: 17.7 Kgf Max.
- Total Unmating Force: 1.6 Kgf Min.
- Operating Temperature: -55°C to +85°C

NOTES

- MATERIAL:**
Housing: PBT, UL 94V-0, Color: Black.
Terminal: Copper Alloy.
Shell: Zinc Alloy.
Boardlock: Copper Alloy.
- FINISH:**
Terminal: Gold Plated over Nickel at Contact Area.
Tin Plated over Nickel at Solder Area.
Shell: Nickel Plated.
Boardlock: Tin Plated.
- This Product is RoHS Compliance Product.



FEN YING®			ENTERPRISES CO., LTD	
AS	As Issue	2008.06.19	Title: S1000XX1	
REV.	CONTENTS	DATE	SCSI 8 PIN TYPE RIGHT ANGLE	
Drawn	Shao Jianfeng		File NO. C-ED-B-S100-034	
Designed	He Wei		Drawing NO. S1000S2XA2S1N1	
Approval	Lee Jian De			
Scale	1:1	Size	A4	
SHEET	1	Units	mm	